THE COMMONWEALTH OF MASSACHUSETTS DEPARTMENT OF TELECOMMUNICATIONS AND ENERGY

D.T.E. 05-27

DIRECT TESTIMONY OF EARL M. ROBINSON

DEPRECIATION

IN SUPPORT OF BAY STATE GAS COMPANY'S REQUEST FOR AN INCREASE IN BASE REVENUE AND OTHER RATE MODIFICATIONS

EXH. BSG/EMR-1

April 27, 2005

TABLE OF CONTENTS

| 1. | INTRODUCTION1 |
|------|--------------------------------------------------------------|
| н. | DEPRECIATION DEFINED |
| III. | PREVIOUS DEPRECIATION STUDIES PREPARED FOR BAY STATE GAS |
| • | COMPANY3 |
| IV. | CURRENT DEPRECIATION STUDY OF BAY STATE'S PLANT IN SERVICE 6 |
| Α. | DESCRIPTION OF THE DEPRECIATION METHOD, PROCEDURE AND |
| | TECHNIQUE USED10 |
| В. | SIGNIFICANT CHANGES IN DEPRECIATION RATES BETWEEN THE |
| | PRESENT RATES AND THE PROPOSED RATES27 |

| 1 | | I. INTRODUCTION |
|----|----|--------------------------------------------------------------------------------|
| 2 | Q. | WHAT IS YOUR NAME, OCCUPATION AND BUSINESS ADDRESS? |
| 4 | A. | My name is Earl M. Robinson. I am President and Chief Executive Officer |
| 5 | | of the Weber Fick & Wilson Division ("WFW") of AUS Consultants - |
| 6 | | Utility Services. WFW is a public utility consulting firm specializing in |
| 7 | | preparing various financial studies including depreciation, valuation, cost of |
| 8 | | service and other analysis for the utility industry and regulatory agencies |
| 9 | | AUS Consultants provides a wide spectrum of consulting services through |
| 10 | | its various affiliated groups which include Utility Services, Valuation |
| 11 | | Services, ICR Survey Research, and Marketing Systems. The WFW |
| 12 | | Division is located at 275 Grandview Avenue Suite 100, Camp Hill, |
| 13 | | Pennsylvania 17011. |
| 14 | Q. | HAVE YOU PREPARED AN APPENDIX WHICH CONTAINS YOUR |
| 15 | | QUALIFICATIONS AND EXPERIENCE? |
| 16 | A. | Yes. Appendix A to my direct testimony contains a summary of my qualifications |
| 17 | | and experience. |
| 18 | Q. | WHAT IS THE PURPOSE OF YOUR TESTIMONY? |
| 19 | A. | The purpose of my testimony is to set forth the results of my review and |
| 20 | | analysis of the plant in service of Bay State Gas Company ("Bay State" or |
| 21 | | the "Company") which was conducted in the process of preparing a |

1 depreciation study as of December 31, 2003. Exh. BSG/EMR-2. In 2 completing the study, my task included an investigation and analysis of the 3 Company's historical plant data, together with an interpretation of the 4 Company's past experience and future expectations, to determine the 5 remaining lives of the Company's property. The study utilized the resulting 6 remaining lives, the results of our salvage analysis, the Company's vintaged 7 plant in service investment and depreciation reserve to develop 8 recommended average remaining life depreciation rates, and depreciation 9 expense, related to the Company's plant in service.

II. DEPRECIATION DEFINED

11 12

10

Q. HOW IS DEPRECIATION DEFINED?

13 Depreciation is defined in the 1996 NARUC "Public Utility Depreciation A. 14 Practices" publication as follows: "Depreciation, as applied to depreciable 15 utility plant, means the loss in service value not restored by current 16 maintenance, incurred in connection with the consumption or prospective 17 retirement of utility plant in the course of service from causes which are 18 known to be in current operation and against which the utility is not 19 protected by insurance. Among the causes to be given consideration are 20 wear and tear, decay, action of the elements, inadequacy, obsolescence, 21 changes in the art, changes in demand, and requirements of public

| 1 | ٠ | authorities. |
|----------------|----|---------------------------------------------------------------------------------|
| 2 | Q. | WHY IS DEPRECIATION IMPORTANT TO THE REVENUE |
| 3 | | REQUIREMENTS OF A UTILITY COMPANY? |
| 4 | A. | Depreciation is important because, as the above definition describes, |
| 5 | | depreciation expense enables a company to recover in a timely manner the |
| 6 | | capital costs related to its plant in service benefiting the company's |
| 7 | | customers. Appropriate depreciation rates will allow recovery of a |
| 8 | | company's investments in depreciable assets over a life that provides for full |
| 9 | | recovery of the investments, less net salvage. Without the appropriate |
| 10 | | recovery of depreciation costs, the Company ultimately will not be able to |
| 11 | , | meet its financial obligations related to the continued provision of service to |
| 12 | | customers. Furthermore, the inclusion of the appropriate level of |
| 13 | | depreciation recovery in revenue requirements serves to reduce overall costs |
| 14 | | (total of depreciation and return) to customers as opposed to a situation |
| 15 | | where an inadequate level of annual depreciation expense is currently being |
| 16 | | provided in rates. |
| 17 18 19 | | III. PREVIOUS DEPRECIATION STUDIES PREPARED FOR BAY STATE GAS COMPANY |
| 20 | Q. | HAVE YOU PREPARED PREVIOUS DEPRECIATION STUDIES OF THE |
| 21 | | COMPANY'S PROPERTY? |
| 22 | Α. | Yes, I have. |

| 1 | |
|---|--|
| l | |

| 2 | Q. | DID THOSE EARLIER STUDIES SIGNIFICANTLY INFLUENCE YOUR |
|----|----|---------------------------------------------------------------------------------|
| 3 | | RECOMMENDATIONS IN THE CURRENT STUDY? |
| 4 | A. | No. While the underlying historical data that contributed to the results of the |
| 5 | | earlier depreciation studies for the Company are included with the historical |
| 6 | | depreciation database used for the current depreciation study, the previous |
| 7 | | study results do not have a direct bearing on the current study results. That |
| 8 | | is because each depreciation study is performed as an independent analysis |
| 9 | | of the aggregate data up to the study date. Equally, if not more, important is |
| 10 | | the impact of more recent and anticipated events on the future depreciation |
| 11 | | parameters of each of the Company's depreciable property groups. |
| 12 | Q. | PLEASE PROVIDE A BRIEF EXPLANATION OF THE RESULTS OF |
| 13 | | THE EARLIER DEPRECIATION STUDIES AS COMPARED TO THE |
| 14 | | RECOMMENDATIONS IN THE CURRENT STUDY. |
| 15 | A. | I prepared two earlier comprehensive depreciation studies relative to the |
| 16 | | Company's plant in service. The first study performed was based upon the |
| 17 | | Company's plant in service as of December 31, 1991. The second study was |
| 18 | | prepared based upon the Company's plant in service as of December 31, |
| 19 | | 1998. It is common practice and generally recognized as desirable within the |
| 20 | | utility industry that depreciation studies be performed at intervals of |
| 21 | | approximately five (5) years. |

The December 31, 1991 depreciation study was filed in conjunction with the Company's most recent prior rate case (and as approved by the Department) produced a composite depreciation rate of 3.97 percent.

4.

The December 31, 1998 study which utilized the then current and anticipated depreciation factors, produced a composite depreciation rate of 3.57 percent. By 1998, the Company's investment mix had changed and the depreciation rates that had produced a composite rate of 3.97 when applied to December 31, 1991 plant balances produced an aggregate depreciation rate of 3.79 percent when applied to December 31, 1998 plant balances.

At the time of the 1998 study, the Company's plant activity with regard to mains and services had slowed somewhat and there were less significant plant changes and net salvage factors impacting the resulting depreciation parameters. Not only had plant investment growth slowed, but also the level of negative net salvage had declined. Accordingly, depreciation rates declined from the level of the 1991 depreciation rates.

More recently, the ownership and plant investment experience of the Company have changed. Plant investment activity has increased and negative net salvage has escalated. Furthermore, future net salvage forecasts have been prepared to identify the ultimate overall net salvage that will be experienced over the life of each of the property groups. Accordingly, the current depreciation study results are reflective of present and anticipated

| 1 | | factors. |
|------------|----|-------------------------------------------------------------------------------------|
| 2 | | IV. CURRENT DEPRECIATION STUDY OF BAY STATE'S PLANT IN SERVICE |
| 4 5 | Q. | WHAT IS YOUR PROFESSIONAL OPINION WITH REGARD TO THE |
| 6 | | RESULTS OF THE CURRENT DEPRECIATION STUDY? |
| 7 | A. | In my opinion, the proposed depreciation rates resulting from the current |
| 8 | | depreciation study are reasonable and appropriate given that they incorporate the |
| 9 | | service life and net salvage parameters currently anticipated for each of the |
| 10 | | Company's property group investments over their average remaining lives. |
| 11 | Q. | WHAT STEPS WERE INVOLVED IN PREPARING THE SERVICE LIFE |
| 12 | | AND SALVAGE DATABASE THAT YOU UTILIZED? |
| 13 | A. | My comprehensive depreciation analysis included a detailed analysis of the |
| 14 | | Company's fixed capital books and records through December 31, 2003. The |
| 15 | | Company's historical investment cost records for each account have been |
| 16 | | assembled into a depreciation database upon which a detailed service life and |
| 17 | | salvage analysis was performed using standard depreciation procedures. |
| 18 | Q. | WHAT IS THE PURPOSE OF THE HISTORICAL DATABASE? |
| 19 | A. | The historical service life and net salvage data is a basic depreciation study tool |
| 20 | | that is assembled to prepare a depreciation study. The historical database is used |
| 21 | | to make assessments and judgments concerning the service life and salvage |
| 22 | | factors that have actually been achieved, and (along with information relative to |

| 1 | | current and prospective factors) to determine the appropriate future lives over |
|----|----|-----------------------------------------------------------------------------------|
| 2 | | which to recover the Company's depreciable fixed capital investments. |
| 3 | | According to this standard depreciation analysis, the Company's depreciation |
| 4 | | database compiled through December 31, 2003, which contains detailed vintage |
| 5 | | level information, was used to develop observed life tables. The development of |
| 6 | | the observed life tables from the historical information was completed by |
| 7 | | grouping like aged investments within each property category and identifying the |
| 8 | | level of retirements that occur through each successive age to develop the |
| 9 | | applicable observed life tables. The resulting observed lives were then fitted to |
| 10 | | standard Iowa Curves to estimate each property group's historically achieved |
| 11 | | average service life. |
| 12 | | Likewise, the net salvage database was used as a basis to identify historical |
| 13 | | experience and trends and to determine each property group's recommended net |
| 14 | | salvage factors. This was accomplished by preparing various three year rolling |
| 15 | | band analyses of salvage components as well as a forecast based on the |
| 16 | | Company's historical salvage experience. |
| 17 | Q. | IN THE PREPARATION OF THIS, AND OTHER, DEPRECIATION |
| 18 | | STUDIES, HAVE YOU UTILIZED INFORMATION FROM |
| 19 | | ADDITIONAL SOURCES WHEN ESTIMATING SERVICE LIFE AND |
| 20 | | SALVAGE PARAMETERS? |
| 21 | A. | Yes. In addition to the historical data obtained from the Company's books and |

| 1 | | records, information was obtained from Company personnel relative to current |
|----|----|-------------------------------------------------------------------------------------|
| 2 | | operations and future expectations with respect to depreciation. An on-site visit |
| 3 | | was made to various of the Company's operation centers, at which time meetings |
| 4 | | were held with Company operations management. Physical inspections were also |
| 5 | | conducted of representative operating property. In the course of completing the |
| 6 | | depreciation study, I also incorporated professional knowledge obtained from my |
| 7 | | more than thirty (30) years of utility industry depreciation experience. |
| 8 | Q. | DO YOU HAVE A DEPRECIATION STUDY REPORT WHICH |
| 9 | | SUMMARIZES THE RECOMMENDATIONS RESULTING FROM YOUR |
| 10 | | DEPRECIATION SERVICE LIFE AND SALVAGE ANALYSIS? |
| 11 | A. | Yes. The report is Exhibit BSG/EMR-2 entitled "Bay State Gas Company |
| 12 | | Depreciation Study as of December 31, 2003", and summarizes the results of my |
| 13 | | service life and salvage analysis. |
| 14 | Q. | PLEASE BRIEFLY DESCRIBE THE INFORMATION INCLUDED IN |
| 15 | | THE DEPRECIATION STUDY REPORT. |
| 16 | Α. | The study report is divided into seven sections. Two key portions of the report are |
| 17 | | Sections 2 and 4. Section 2 includes the summary schedules listing the present |
| 18 | | and proposed depreciation rates for each depreciable property group and other |
| 19 | | depreciation rate development schedules. Section 4 contains a narrative |
| 20 | | describing the factors considered in selecting service life parameters for the |
| 21 | | Company's property. The various other sections of the report contain detailed |

| 1 | | information and/or documentation supporting the schedules contained in Sections |
|----|----|--------------------------------------------------------------------------------------|
| 2 | | 2 and 4. A table of contents lists the complete contents of the report. In addition, |
| 3 | | Section 1 contains a brief narrative summary or overview of the entire report. |
| 4 | Q. | WHAT WAS THE SOURCE OF THE DATA WHICH WAS UTILIZED AS |
| 5 | | A BASIS FOR THE DEPRECIATION RATES? |
| 6 | A. | As previously discussed, all of the historical data utilized in the course of |
| 7 | | performing the detailed service life and salvage study were obtained from the |
| 8 | | Company's books and records. Historical vintaged data (additions, retirements, |
| 9 | | adjustments, and balances) were obtained for each depreciable property group. |
| 10 | Q. | ARE THERE STANDARD METHODS UTILIZED TO COMPLETE A |
| 11 | | SERVICE LIFE ANALYSIS OF A COMPANY'S HISTORICAL |
| 12 | | PROPERTY INVESTMENTS? |
| 13 | A. | Yes. As discussed in Section 3 of the depreciation study report as well as later in |
| 14 | | this testimony, the two most common methods are the Retirement Rate Method |
| 15 | | and the Simulated Plant Record Method. The method chosen to study a |
| 16 | | company's historical data is dependent upon whether aged or un-aged data is |
| 17 | | available. If specific aged data is available, the Retirement Rate Method is used. |
| 18 | | If only un-aged data is available, the Simulated Plant Record Method is used. |
| 19 | Q. | WAS YOUR STUDY PREPARED UTILIZING ONE OF THOSE |
| 20 | | ACCEPTED STANDARD METHODS? |
| 21 | A. | Yes. The Company maintains aged plant records. Therefore, the Retirement Rat |

| Method was utilized in the depreciation study of the Company's prop | erty. |
|---------------------------------------------------------------------|-------|
|---------------------------------------------------------------------|-------|

| 2 3 | | A. DESCRIPTION OF THE DEPRECIATION METHOD, PROCEDURE AND TECHNIQUE USED |
|--------|----|----------------------------------------------------------------------------------------|
| 4 5 | Q. | PLEASE DESCRIBE THE RELATIONSHIP OF DEPRECIATION |
| 6 | | METHODS, PROCEDURES, AND TECHNIQUES AND IDENTIFY |
| 7 | | WHAT METHOD, PROCEDURE, AND TECHNIQUE WAS UTILIZED |
| 8 | | TO DEVELOP THE DEPRECIATION RATES FOR THE COMPANY'S |
| 9 | | PROPERTY? |
| 10 | A. | Inherent in all depreciation calculations is an overall method, such as the Straight |
| 11 | | Line Method (which is the most widely used approach within the utility industry) |
| 12 | | to depreciate property. Other methods available to develop average service lives |
| 13 | | and depreciation rates are accelerated and/or deferral approaches such as the Sum |
| 14 | | of the Years Digits Method or Sinking Fund Method. |
| 15 | | In addition, there are several procedures that can be used to arrange or |
| 16 | | group property by sub-groups of vintages to develop applicable service lives. |
| 17 | | These procedures include the Broad Group, the Equal Life Group and other |
| 18 | | procedures. Due to the existence of very large quantities of property units within |
| 19 | | utility operating property, utility property is typically grouped into homogeneous |
| 20 | | categories as opposed to being depreciated on an individual unit basis. While the |
| 21 | • | Equal Life Group procedure is viewed as being the more definitive procedure for |
| 22 | | identifying the life characteristics of utility property and as a basis for developing |

service lives and depreciation rates (see my comments on the Equal Life Group procedure later in my testimony), the Broad Group Procedure is more widely utilized throughout the utility industry by regulatory commissions as a basis for depreciation rates.

The distinction between the two procedures is in the manner in which recovery of the cost is achieved. Under the Broad Group Procedure, the useful life and resulting depreciation rate is based upon the overall average of the group, while under the Equal Life Group Procedure, the useful life and resulting depreciation rate is based upon separately recovering the investment in each equal life group within the property category over the actual life of the property in that group.

A brief example (with a property group that has three units/three equal life groups of like property) will demonstrate the difference between the two procedures. The example incorporates the assumption that unit No. 1 (or equal life group of property) will retire after one year, unit No. 2 (or equal life group) will retire after two years, and Unit No. 3 (or equal life group) will retire after three years. Accordingly, the average life of all three (groups) is three (3) years (1+2+3+2). Under the Broad Group Procedure, the average useful life and resulting depreciation rate is calculated based upon the three (3) year average life. The resulting annual depreciation rates would be 33.33 percent in every year.

Conversely, under the Equal Life Group Procedure, each year's average

life and resulting depreciation rate is calculated by using the period of time during which the portion of the property group remains in service. Since unit No. 1 (or that portion of the account) was retired from service after one year, the entire investment for that property is recovered over one (1) year. Likewise, since unit No. 2 (or that portion of the account) will live two years, the recovery of that portion of the account will occur over two years. Lastly, unit No. 3 (or that portion of the account) is recovered over three years. Hence, the useful average life for the property group in the first year is 1.64 years and the first year's annual depreciation rate is 61.11 percent. In the second year, the useful average life of the surviving group is 3.6 years and the second year's depreciation rate drops to 27.78 percent. This occurs because during the first year, unit No. 1 (or that portion of the account) was fully recovered. Likewise, in year three the useful life of the surviving group is 9 years and the depreciation rate further drops to 11.11 percent. See Table EMR-1 on page 13.

Finally, the depreciable investment needs to be recovered over a defined period of time (through use of a technique), such as the Whole Life or Average Remaining Life of the property group. The distinction between the Whole Life and Average Remaining Life Techniques is that under the Whole Life Technique, the depreciation rate is based on the recovery of the investment and average net salvage over the average service life of the property group. In comparison, under the Average Remaining Life Technique, the resulting annual depreciation rate

incorporates the recovery of the investment (and future net salvage) less any recovery experienced to date over the average remaining life of the property group. The Average Remaining Life Technique is clearly superior in that it incorporates all of the current and future cost components in setting the proposed annual depreciation rate as opposed to only some of the current and future cost components as is the case with the Whole Life Technique.

1

2

3

4

5

6

7

Table EMR-1

Illustration of Development of Equal Life Group Yearly ASL and Annual Depreciation Rate

| | | ELG Average Life Calculation | | | ELG Depreciaiton Rate Calculation | | | | |
|-------------|-----------|-------------------------------------|--------------------------|----------------|------------------------------------------|------------|--------------------------|------------------|--------------------|
| <u>Year</u> | | Investment | Recovery Period (Yrs) | ASL (Years) | Weight | Investment | Recovery Period (Yrs) | Annual Rate-% | Recovery Amount |
| 1 | Group # 1 | 300 | 1 | | 300 | 300 | 1 | | 300 |
| | Group # 2 | 300 | 2 | | 150 | 300 | 2 | | 150 |
| | Group # 3 | 300 | 3 | | 100 | 300 | 3 | | 100 |
| | Total | 900 | | 1.64 | 550 | 900 | | 61.11% | 550 |
| 2 | Group # 1 | 300 | 0 | | 0 | 300 | 0 | | 0 |
| | Group # 2 | 300 | 2 | | 150 | 300 | 2 | | 150 |
| | Group # 3 | 300 | 3 | | 100 | 300 | 3 | | 100 |
| | Total | 900 | | 3.60 | 250 | 900 | | 27.78% | 250 |
| 3 | Group # 1 | 300 | 0 | | 0 | 300 | 0 | | 0 |
| | Group # 2 | 300 | 0 | | 0 | 300 | 0 | | 0 |
| | Group # 3 | 300 | | | 100 | 300 | 3 | | 100 |
| | Total | 900 | | 9.00 | 100 | 900 | | 11.11% | 100 |

| 1 | The depreciation methods, procedures, and techniques can be used |
|----|-------------------------------------------------------------------------------------|
| 2 | interchangeably. For example, one could use the Straight Line Method with the Broad |
| 3 | Group Procedure and the Average Remaining Life Technique, or the Straight Line |
| 4 | Method with the Equal Life Group Procedure and Average Remaining Life Technique, |
| 5 | or combinations thereof. |
| 6 | The depreciation rates set forth in my depreciation study report were developed |
| 7 | utilizing the Straight Line Method, the Broad Group Procedure, and the Average |
| 8 | Remaining Life Technique. |
| 9 | Q. WHY WERE THE INDICATED DEPRECIATION METHOD, |
| 10 | PROCEDURE AND TECHNIQUE UTILIZED? |
| 11 | A. The Straight Line Method is widely understood, recognized, and utilized almost |
| 12 | exclusively for depreciating utility property. |
| 13 | The Broad Group Procedure recovers the Company's investments over the |
| 14 | average period of time in which the property is providing service to the |
| 15 | Company's customers. While the Equal Life Group procedure is viewed as a |
| 16 | superior procedure, I used the Broad Group Procedure because it is consistent |
| 17 | with depreciation methods and procedures generally accepted by the Department |
| 18 | and is the approach underlying the depreciation rates approved by the Department |
| 19 | in D.P.U. 92-111. |
| 20 | Finally, the amount of annual depreciation must be based upon the |
| 21 | productive life over which the un-depreciated capital investment is recovered (the |

Average Remaining Life Technique). The utilization of the Average Remaining Life Technique to develop the applicable annual depreciation expense (over the average remaining life) assures that the Company's property investment is fully recovered over the useful life of the property, and that inter-generational inequities are avoided as current customers will pay their fair share of depreciation expense.

A.

The determination of the productive remaining life for each property group relies on a study of both past experience and future expectations and develops the appropriate total life and applicable depreciation rates for each of the Company's property groups. The Average Remaining Life Technique incorporates all of the Company's fixed capital cost components, thereby better assuring full recovery of the Company's embedded net plant investment and related costs. The Average Remaining Life Technique gives consideration not only to the average service life and survival characteristics plus the net salvage component, but also recognizes the level of depreciation which has been accrued to date in developing the proposed depreciation rate. The Average Remaining Life Technique is used by regulated companies and regulatory agencies because it allows full recovery by the end of the property's useful life — no more and no less.

Q. PLEASE EXPLAIN THE UTILIZATION OF GROUP DEPRECIATION PROCEDURES.

Group depreciation procedures are utilized to depreciate property when more than one item of property is being depreciated. Such an approach is appropriate

because all of the items within a specific group typically do not have identical service lives, but have lives which are dispersed over a range of time. Utilizing a group depreciation procedure allows for a uniform application of depreciation rates to groups of similar property in lieu of performing extensive depreciation calculations on an item-by-item basis. As previously mentioned, the two more common group depreciation procedures are the Broad Group and Equal Life Group approaches.

I have used the Broad Group Procedure consistent with the historic and current practice in Massachusetts. The Broad Group Procedure recovers the investment within the asset group over the average service life of the property group. Given that there is dispersion within each property group, there are variations of retirement ages for the many investments within each property group. That is, some properties retire early (before average service life) while others retire at older ages (after average service life) with the weighted average retirement age of the total property group being the attained average service life.

The Equal Life Group Procedure, however, allocates the capital cost of property in the group to annual expense in accordance with the consumption of the property group providing service to customers. In this regard, the Company's customers are charged the cost of the property consumed in providing them service during the applicable service period. The more timely return of plant cost under the Equal Life Group Procedure is accomplished by fully accruing each

| 1 | | unit's cost during its service life, thereby reducing the risk of incomplete cost |
|----|----|-----------------------------------------------------------------------------------------|
| 2 | | recovery. |
| 3 | Q. | WHAT FACTORS INFLUENCE THE DETERMINATION OF THE |
| 4 | | RECOMMENDED ANNUAL DEPRECIATION RATES INCLUDED IN |
| 5 | | YOUR DEPRECIATION STUDY REPORT? |
| 6 | A. | The depreciation rates reflect four principal factors: (1) the plant in service by |
| 7 | | vintage, (2) the book depreciation reserve, (3) the future net salvage, and (4) the |
| 8 | | composite remaining life for the property group. Factors considered in arriving at |
| 9 | | the service life are the average age, realized life and the survival characteristics of |
| 10 | | the property. The net salvage estimate is influenced by both past experience and |
| 11 | | future estimates of the cost of removal and gross salvage amounts. |
| 12 | Q. | PLEASE EXPLAIN FURTHER THE ASSUMPTIONS CONSIDERED |
| 13 | | WHEN UTILIZING YOUR DEPRECIATION APPROACH. |
| 14 | A. | According to my approach, the Company will recover its un-depreciated fixed |
| 15 | | capital investment through annual depreciation expense in each year throughout |
| 16 | | the useful life of the property. The Average Remaining Life Technique |
| 17 | | incorporates the future life expectancy of the property, the vintaged surviving |
| 18 | | plant in service, the survival characteristics, together with the book depreciation |
| 19 | | reserve balance and future net salvage in developing the amounts for each |
| 20 | | property account. Accordingly, Average Remaining Life depreciation meets the |
| 21 | | objective of providing a Straight Line recovery of the Company's fixed capital |

| 1 | | property investments. |
|----|----|---------------------------------------------------------------------------------------|
| 2 | Q. | PLEASE EXPLAIN FURTHER THE GROUP PROCEDURE YOU HAVE |
| 3 | | USED. |
| 4 | A. | My depreciation calculations, as applied in this study, follow a group depreciation |
| 5 | | approach. The group approach refers to the method of calculating annual |
| 6 | | depreciation based on the summation of the investment in any one plant group |
| 7 | | rather than calculation of depreciation for each individual unit of plant. In theory, |
| 8 | | each unit achieves average service life by the time of retirement. Accordingly, the |
| 9 | | full cost of the investment will have been credited to plant in service by the time |
| 10 | | the retirement occurs, and likewise the depreciation reserve will be debited with |
| 11 | | an equal retirement cost. No gain or loss is recognized at the time of property |
| 12 | | retirement because of the assumption that the property was retired at average |
| 13 | | service life. |
| 14 | Q. | WHAT ARE THE NET SALVAGE FACTORS INCLUDED IN THE |
| 15 | | DETERMINATION OF DEPRECIATION RATES? |
| 16 | A. | Net salvage is the difference between gross salvage, or the proceeds received |
| 17 | | when an asset is disposed of, and the cost of removing the asset from service. Net |
| 18 | | salvage is said to be positive if gross salvage exceeds the cost of removal. If the |
| 19 | | cost of removal exceeds gross salvage, the result is negative salvage. Many |
| 20 | | retired assets generate little, if any, positive salvage. Conversely, numerous |
| 21 | | Company asset groups generate negative net salvage at the end of their lives due |

to the cost of removal.

The cost of removal includes costs such as demolishing, dismantling, tearing down, disconnecting or otherwise retiring/removing plant, as well as any environmental clean up costs associated with the property. Net salvage includes any proceeds received from any sale of plant.

Net salvage experience is studied for a period of years to determine the trends which have occurred in the past. These trends are considered, together with any changes that are anticipated in the future, to determine the future net salvage factor for remaining life depreciation purposes. The net salvage percentage is determined by comparing the total net positive or negative salvage to the book cost of the property investment retired.

The method used to estimate the retirement cost is a standard analysis approach which is used to identify a company's historical experience with regard to what the end of life cost will be relative to the cost of the plant when first placed into service. This information, along with knowledge about the average age of the historical retirements that have occurred to date, allows an estimation of the level of retirement cost that will be experienced by the Company at the end of each property group's useful life. The study methodology utilized has been extensively set forth in depreciation textbooks and has been the accepted practice by depreciation professionals for many decades. Furthermore, the cost of removal analysis is the current standard practice used for mass assets by essentially all

Testimony of Earl M. Robinson Exhibit BSG/EMR-1 Bay State Gas Company D.T.E. 05-27 Page 20 of 31

depreciation professionals in estimating future net salvage for the purpose of identifying the applicable depreciation rate for a property group. There is a direct relationship between the installation of specific plant and its corresponding removal. The installation is its beginning of life cost while the removal is its end of life cost. Also, it is important to note that Average Remaining Life depreciation rates incorporate future net salvage which is typically more representative of recent versus long-term historical average net salvage.

The Company's historical net salvage experience was analyzed to identify the historical net salvage factor for each applicable property group. This analysis routinely finds that historical retirements have occurred at average ages significantly shorter than the property group's average service life. The occurrence of historical retirements at an age which is significantly younger than the average service life of the property category demonstrates that the historical data does not appropriately recognize the true level of retirement cost at the end of the property group's useful life. An additional level of cost to retire will occur due to the passage of time until all the current plant is retired at end of its life. That is, the level of retirement costs will increase over time until the average service life is attained. The additional inflation in the estimate of retirement cost, is related to those additional years' cost increases (primarily the result of higher labor costs over time) that will occur prior to the end of the property group's average life.

To provide further explanation of the issue, several general principles

surrounding property retirements and related net salvage should be highlighted. As property continues to age, assets that typically generate positive salvage when retired will generate a lower percentage of positive salvage as compared to the original cost of the property. By comparison, if the class of assets is one that typically generates negative net salvage (cost of removal) with increasing age at retirement, the negative net salvage percentage as compared to original cost will typically be greater. This situation is routinely driven by the higher labor costs that occur with the passage of time.

A simple example will aid in understanding the above net salvage analysis and the required adjustment to the historical results. Assume the following scenario: A company has two cars, Car #1 and Car #2, each purchased for \$20,000. Car #1 is retired after 2 years and Car #2, is retired after 10 years. Accordingly, the average life of the two cars is six (6) years. Car #1 generates 75% salvage or \$15,000 when retired and Car #2 generates 5% salvage or \$1,000 when retired.

| 17 | Unit Cost | Ret. Age (Yrs) | % Salv. | Salvage Amount |
|----|-----------------|----------------|---------|----------------|
| 18 | Car #1 \$20,000 | 2 | 75% | \$15,000 |
| 19 | Car #2 20,000 | 10 | 5% | 1,000 |
| 20 | Total 40,000 | 6 | 40% | 16,000 |

| | Assume an analysis of the experienced net salvage at year three (3). |
|-----------|--------------------------------------------------------------------------------------|
| | Based upon the Car #1 retirement, which was retired at a young age (2 yrs.) as |
| | compared to the average six (6) year life of the property group, the analysis |
| | indicates that the property group would generate 75% salvage. This indication is |
| | incorrect, however, because it is the result of basing the estimate on incomplete |
| | data. That is, the estimate is based upon the salvage generated from a retirement |
| | that occurred at an average age which is far less than the average service life of |
| | the property group. The actual total net salvage that occurred over the average life |
| | of the assets (which experienced a six (6) year average life for the property group) |
| | is 40%, as opposed to the initial incorrect estimate of 75%. |
| | This is exactly the situation that occurs with the majority of the |
| | Company's historical net salvage data, except that most of the Company's |
| | property groups routinely experience negative net salvage (cost of removal) as |
| | opposed to positive salvage. |
| Q. | PLEASE EXPLAIN WHAT FACTORS AFFECT THE LENGTH OF THE |
| | AVERAGE SERVICE LIFE THAT THE COMPANY'S PROPERTY MAY |
| | ACHIEVE. |
| A. | Several factors contribute to the length of the average service life which the |
| | property achieves. The three major factors are: (1) physical; (2) functional; and |
| | (3) contingent casualties. |
| | The physical factor includes such things as deterioration, wear and tear and |

the action of the natural elements. The functional factor includes inadequacy, obsolescence and requirements of governmental authorities. Obsolescence occurs when it is no longer economically feasible to use the property to provide service to customers or when technological advances have provided a substitute with superior performance. The remaining factor, contingent casualties, includes retirements caused by accidental damage or construction activity of one type or another.

In performing the life analysis for any property being studied, both past

A.

In performing the life analysis for any property being studied, both past experience and future expectations must be considered in order to fully evaluate the circumstances that may have a bearing on the remaining life of the property. This ensures the selection of an average service life which best represents the expected life of each property investment.

Q. WHAT STUDY PROCEDURES WERE UTILIZED TO DETERMINE SERVICE LIVES FOR THE COMPANY'S PROPERTY?

Several study procedures were used to determine the prospective service lives recommended for the Company's plant in service. These include the review and analysis of historical, as well as anticipated, retirements, current and future construction technology, historical experience and future expectations of salvage and the cost of removal.

Service lives are affected by many different factors, some of which can be determined from studying past experience, others of which must rely heavily on

future expectations. When physical characteristics are the controlling factor in determining the service life of property, historical experience is a useful tool in selecting service lives. In cases where there are changes in technology, regulatory requirements, Company policy or the development of a less costly alternative, historical experience is of lesser or little value. However, even when considering physical factors, the future lives of various properties may vary from those experienced in the recent past.

2.

A.

While a number of methods are available to study historical data, as I mentioned previously, the two methods most commonly utilized to determine average service lives for a company's property are the Retirement Rate Method and the Simulated Plant Record Method. Given that the Company maintains vintaged investment records, the Retirement Rate Method was the method chosen to analyze the historical data.

Q. PLEASE EXPLAIN FURTHER THE USE OF THE RETIREMENT RATE METHOD.

With this method of analysis, the Company's actuarial service life data, which is sorted by age, is used to develop a survivor curve (observed life table). This survivor curve is the basis upon which smooth curves (standard Iowa Curves) are matched or fitted to then determine the average service life being experienced by the property account under study. Computer processing provides the capability to review various experience bands throughout the life of the account to observe

| 1 | | trends and changes. For each experience band analysis, an "observed life table" is |
|----|----|--------------------------------------------------------------------------------------|
| 2 | | constructed using the exposure and retirement experience within the selected band |
| 3 | | of years. In some cases, the total life cycle of the property has not been achieved |
| 4 | | and the experienced life table, when plotted, results in a "stub curve." It is the |
| 5 | | "stub curve," or the total life curve, if the total life curve is achieved, which is |
| 6 | | matched or fitted to the standard Iowa Curves. The matching process is |
| 7 | | performed both by computer analysis, using a least squares technique, and by |
| 8 | | overlaying the observed life tables on the selected smooth curves for visual |
| 9 | | reference. The fitted smooth curve is a benchmark which provides a basis to |
| 10 | | determine the estimated average service life for the property group under study. |
| 11 | Q. | DOES SECTION 5 OF THE DEPRECIATION STUDY REPORT |
| 12 | | CONTAIN CHARTS WHICH COMPARE THE ANALYSIS OF THE |
| 13 | | COMPANY'S ACTUAL HISTORICAL DATA TO THE SERVICE LIFE |
| 14 | | PARAMETERS YOU ARE PROPOSING AS A BASIS FOR YOUR |
| 15 | | RECOMMENDED ANNUAL DEPRECIATION RATES? |
| 16 | A. | Yes. The Company's historical plant account records included vintaged |
| 17 | | retirement data and, therefore, were studied using the Retirement Rate Method. |
| 18 | | The resulting observed life tables and plottings of the selected Iowa Curves are |
| 19 | | contained in the depreciation study report in Section 5. |
| 20 | Q. | YOU HAVE REFERRED TO THE USE OF THE IOWA OR SMOOTHED |
| 21 | | SURVIVOR CURVES. CAN YOU GENERALLY DESCRIBE THE |

CURVES AND THEIR PURPOSE?

5.

Q.

A.

The preparation of a depreciation study typically incorporates smoothed curves to represent the experienced or estimated survival characteristics of the property. The "smoothed" or standard survivor curves are the "Iowa" family of curves developed at Iowa State University and which are widely used and accepted throughout the utility industry. The shape of the curves within the Iowa family is dependent upon whether the maximum rate of retirement occurs before, during or after the average service life. If the maximum retirement rate occurs earlier in life, it is a left (L) mode curve; if it occurs at average life, it is a symmetrical (S) mode curve; if it occurs after average life, it is a right (R) mode curve. In addition, there is the origin (O) mode curve for plant which has heavy retirements at the beginning of life.

At any particular point in time, actual Company plant may not have completed its life cycle. Therefore, the survivor table generated from the Company data is not complete. This situation requires that an estimate be made with regard to the incomplete segment of the property group's life experience. Further, actual company experience often varies from age interval to age interval, making its utilization for average service estimation difficult. Accordingly, the Iowa Curves are used to both extend Company experience to zero percent surviving as well as to smooth actual Company data.

WHAT IS THE PRINCIPAL REASON FOR COMPLETING THE

| 1 | | DETAILED HISTORICAL LIFE AND SALVAGE ANALYSIS? |
|----------|----|-----------------------------------------------------------------------------------------------|
| 2 | A. | The detailed historical analysis is prepared as a tool from which to make informed |
| 3 | | assessments as to the appropriate service life and salvage parameters over which |
| 4 | | to recover the Company's plant investment. However, in addition to the available |
| 5 | • | historic data, consideration must be given to current events, the Company's |
| 6 | | ongoing operations, Company management's future plans, and general industry |
| 7 | | events which are anticipated to impact the lives that will be achieved by plant in |
| 8 | | service. |
| 9 | Q. | WHAT IS THE BASIS FOR THE COMPANY'S CURRENT |
| 10 | | DEPRECIATION RATES? |
| 11 | A. | The current depreciation rates are based upon depreciation parameters set forth in |
| 12 | | a study completed using plant investment data through December 31, 1998 for |
| 13 | | Bay State Gas Company together with the Broad Group Procedure applied on an |
| 14 | | Average Remaining Life basis. The current account level depreciation rates |
| 15 | | composite to an equivalent annual depreciation rate of 3.42 percent when applied |
| 16 | | to each of the December 31, 2003 account balances. Exh. BSG/EMR-2, page 1-7. |
| 17 18 | | B. SIGNIFICANT CHANGES IN DEPRECIATION RATES BETWEEN THE PRESENT RATES AND THE PROPOSED RATES |
| 19 20 | Q. | WHAT ARE THE MOST NOTABLE CHANGES IN ANNUAL |
| 21 | | DEPRECIATION RATES AND EXPENSE BETWEEN THE PRESENT |
| 22 | | AND PROPOSED DEPRECIATION RATES AS SET FORTH IN |

SECTION 2 OF THE DEPRECIATION STUDY?

A.

With regard to Bay State Gas Company's plant in service, several of the proposed rates reflect marked changes (as outlined in Section 4 of the study) from the current depreciation rates. The accounts for which the most notable depreciation expense changes occurred in comparison to the current depreciation rates include Account 321 - LNG Equipment, Account 376 - Mains, Account 380 - Services, Account 382 - Meter Installations, Account 391.2 - Office Furniture and Equipment - Computer & IT Equipment, and Account 397.2 - Communication Equipment - Metscan Meter Interface Units.

The proposed depreciation rate for Account 376 – Mains, increased from 1.86 percent to 2.79 percent. The proposed depreciation rate is the result of changes in both the service life parameters for various property components of the account as well as a revision to the future net salvage percent. The average service lives were changed in accordance with the life indications developed through an analysis of the Company's historical data and consideration of future expectations. The proposed average service lives for each of the property categories are discussed and summarized in Section 4 of the study as well as on Table 2. Furthermore, the Company is initiating a program to replace all of its existing bare steel mains. This program will significantly shorten the remaining life of its bare steel mains investment. With regard to the future net salvage estimate, net salvage for this property group was revised from negative ten (10) to

negative fifteen (15) percent.

The depreciation rate for Account 380 – Services, increased from 4.42 percent to 5.08 percent. As with the Company's investment in Mains, the proposed depreciation rate is the product of changes in both the service life parameters for various property components of the account as well as a revision to the future net salvage percent. The average service lives were changed in accordance with the life indications developed through an analysis of the Company's historical data and consideration of future expectations. The proposed average service lives for each of the property categories are discussed and summarized in Section 4 of the study as well as on Table 2. Furthermore, the Company is initiating a program to replace all of its existing bare steel services. This program will significantly shorten the remaining life of its bare steel service investment. With regard to the future net salvage estimate, net salvage for the property group was revised from negative one hundred forty (140) to negative one hundred seventy (170) percent.

The depreciation rate for Account 382 - Meter Installations, increased from 1.99 percent to 3.34 percent. The proposed depreciation rate is the product of the application of the estimated applicable service life (which was revised from sixty (60) years to fifty-three (53) years) while the estimated future negative net salvage was increased from negative twenty (20) to negative sixty (60) percent).

The depreciation rate for Account 391.2 - Computer & IT Equipment

| 1 | | increased from 17.51 percent to 20.33 percent. The proposed depreciation rate |
|----|----|--------------------------------------------------------------------------------------|
| 2 | | increase is the result of the application of the estimated applicable service life. |
| 3 | | The depreciation rate resulted notwithstanding the fact that the life was revised |
| 4 | | upward from six (6) years to seven (7) years. |
| 5 | | The depreciation rate for Account 397.2 - Communication Equipment - |
| 6 | | Metscan Meter Interface Units, increased from 12.11 percent to 24.17 percent. |
| 7 | | The depreciation rate increase is being driven by a slight reduction in the |
| 8 | | underlying service life parameters from ten (10) years to nine (9) years. However, |
| 9 | | the far larger driver behind the depreciation rate increase is the dramatic increase |
| 10 | | in the level of retirements and the corresponding reduction in the Company's book |
| 11 | | depreciation reserve for this account. |
| 12 | | Conversely, the depreciation rate for Account 321 - LNG Equipment, |
| 13 | | decreased from 5.22 percent to 3.61 percent. The proposed depreciation rate is |
| 14 | | the result of the application of the estimated applicable service life (which was |
| 15 | | revised from twenty-five (25) years to twenty-seven (27) years). |
| 16 | Q. | WHAT IS THE NET CHANGE IN ANNUAL DEPRECIATION EXPENSE |
| 17 | ٠ | UNDER THE PROPOSED RATES AS OPPOSED TO PRESENT |
| 18 | | DEPRECIATION RATES? |
| 19 | A. | The change in annual depreciation rates results in a net increase in annualized |
| 20 | | depreciation expense for the Company's plant in service of \$5,653,655, (Exh. |
| 21 | | BSG/EMR-2, Table 1, Section 2, page 2) in comparison to the depreciation |

| 1 | | expense produced by the current depreciation rates when applied to the |
|----|----|----------------------------------------------------------------------------------|
| 2 | | Company's plant in service investment as of December 31, 2003. |
| 3 | Q. | WHAT IS THE RESULT OF THE COMPANY'S PROPOSED ACCOUNT |
| 4 | | LEVEL DEPRECIATION RATES? |
| 5 | A. | Application of the Company's proposed account level depreciation rates to its |
| 6 | | December 31, 2003 plant in service produces a composite annual depreciation rate |
| 7 | | of 4.24 percent. |
| 8 | Q. | WHAT IS YOUR RECOMMENDATION TO THE DEPARTMENT? |
| 9 | A. | It is my recommendation that the proposed depreciation rates set forth in my |
| 10 | | depreciation study should be uniformly and prospectively adopted by the |
| 11 | | Department for regulatory purposes as well as by the Company for accounting |
| 12 | | purposes. |
| 13 | Q. | DOES THIS CONCLUDE YOUR DIRECT TESTIMONY? |
| 14 | A. | Yes, it does. |

PROFESSIONAL QUALIFICATIONS OF EARL M. ROBINSON, CDP AUS CONSULTANTS - UTILITY SERVICES WEBER FICK & WILSON DIVISION

Has over 35 years' experience in the public utility field. Has performed services in the areas of depreciation, original cost, valuation, cost of service and bill analysis for numerous regulatory jurisdictions throughout the Eastern, Midwestern, Southwestern, and Pacific regions of the United States, Western Canada plus various areas of the Caribbean.

EXPERIENCE

1977 to Date

AUS Consultants - Weber Fick & Wilson Division, Camp Hill, Pennsylvania. Various positions - currently President and Chief Executive Officer. Has prepared studies and coordinated analysis related to valuation, depreciation, original cost, trended original cost, cost of service, bill analysis, as well as analysis of expenses, revenues and income for various municipal and an extensive number of investor-owned electric, gas, water, wastewater, and telecommunications utilities.

Studies prepared have required the review of company records, inspection of property, the preparation of property inventories and original costs, preparation and review of mortality studies, selection of proper service lives, life characteristics and analysis of salvage, and analysis of capital recovery impact of changing depreciation methods.

During his many years of experience, Mr. Robinson has been involved in and/or responsible for an extensive quantity of comprehensive depreciation studies. Numerous early year's depreciation studies were prepared manually without the convenience of computer software systems. Subsequent, during the mid/late 1970's, Mr. Robinson became responsible for the completion of the many depreciation studies performed for the firm's clients. As part of that responsibility, Mr. Robinson was involved in not only performing the studies, but also in assisting AUS Consultants' MIS department in developing and testing various computer depreciation models. The studies performed by Mr. Robinson or under his direction have included all types of utilities, including electric, gas, water, wastewater, and telecommunications. During Mr. Robinson's career he has been involved in the preparation of more than a hundred depreciation related projects.

A Certified Depreciation Professional (CDP), Mr. Robinson, as President and CEO of AUS Consultants-Weber Fick & Wilson Division provides services to the firm's clients with regard to depreciation and cost based valuation issues. With more than thirty-five (35) years' experience, he began his career as a staff member of the Plant Accounting Department of United Telephone (now Sprint) Eastern Group Headquarters subsequent to which he has spent the past thirty (30) plus years, as a consultant, preparing depreciation and valuation studies for gas, pipeline, electric, telecommunications, water, and wastewater utilities. In conjunction with the provision of these services, Mr. Robinson has testified on many occasions before numerous regulatory agencies (including state, federal, and property tax agencies throughout the U.S., Canada, and the Caribbean in support of the many studies completed for his diverse list of clients. In addition he has negotiated depreciation rates with various state regulatory agencies, the FCC Staff, and the FERC Staff. Mr. Robinson has also participated in several FCC, State, Company three-way depreciation represcription meetings.

With regard to valuation matters Mr. Robinson has been involved with the development of cost indexes from the earliest part of his career with Weber Fick & Wilson through the present. During his earlier years, he assisted and/or developed and utilized cost indexes to prepare reproduction cost and related fair value determinations for various of the firm's regulated utility clients. Subsequently, he attained extensive experience in preparing custom indexes, replacement cost, and depreciated replacement cost studies, having been responsible for preparing many such cost studies relative to various clients within the telecommunications industry during the past fifteen (15) - twenty (20) year period.

PROFESSIONAL QUALIFICATIONS OF EARL M. ROBINSON, CDP AUS CONSULTANTS - UTILITY SERVICES WEBER FICK & WILSON DIVISION

He is also responsible for developing and publishing the firm's C.A. Turner Telephone Plant Index (successor to the Handy Whitman Construction Cost Index), a reproduction cost index subscribed to by various operating companies, regulatory agencies, and consultants.

Mr. Robinson is a founding member and past President of the Society of Depreciation Professionals, a professional organization that provides depreciation training, as well as provides a forum for discussion of depreciation issues. He is also a member of the American Gas Association (AGA) Accounting Services Committee and past chairman of the Statistics, Bibliography, Court Regulatory Sub-Committee of the AGA Depreciation Committee. As a member of that organization, he co-authored a publication entitled "An Introduction to Net Salvage of Public Utility Plant". Mr. Robinson has completed various previous presentations on the subject of depreciation studies as well as depreciated replacement cost to industry organizations and to property tax appraiser staffs.

1975 to 1977

Gannett, Fleming, Corddry & Carpenter, Inc. Valuation Analyst in the Valuation Division where his duties and responsibilities included the classifications, analysis and coordination of data in the development of depreciation rates for various companies including telephone, gas, water and electric utilities.

1971 to 1975

Weber, Fick & Wilson, Public Utility Analyst engaged in the unitization and subsequent application of costs in the pricing of inventories for original cost determination, depreciation and salvage studies to determine proper annual depreciation rates and trended original cost studies used in the determination of utility rate base.

1966 to 1971

United Telephone Company of Pennsylvania (now Sprint/United Telephone Company of Pa.). As a staff member of the Plant Accounting Department, his duties and responsibilities included various plant accounting ledgers, unitization of location and mass property accounts, as well as special studies relaced to insurance and tax valuations of utility plant in service.

TESTIMONY

Jurisdictions testified in include Alberta, Arizona, California, Connecticut, Delaware, District of Columbia, FERC, Florida, Indiana, Illinois, Massachusetts, New Hampshire, New Jersey, New Mexico, New York, Pennsylvania, North Carolina, Rhode Island, South Carolina, and Virgin Islands. Extensive expert testimony has been presented on the subjects including Depreciation, Capital Recovery, Plant in Service Measures of Value, Depreciated Reproduction Cost, and Depreciated Replacement Cost. Numerous additional depreciation studies have been completed and filed in various different jurisdictions for which testimony appearances were not required.

PERSONAL

Education:

Graduate of Harrisburg Area Community College with an Associate of Arts Degree in Accounting, and has undertaken further studies at University Center of Harrisburg. Successfully completed various programs related to service life and salvage estimation, forecasting, and evaluation sponsored by Depreciation Programs,

Appendix A Page 3 of 11

PROFESSIONAL QUALIFICATIONS OF EARL M. ROBINSON, CDP AUS CONSULTANTS - UTILITY SERVICES WEBER FICK & WILSON DIVISION

Inc. at Calvin College Campus, Grand Rapids, Michigan. In addition, successfully completed cost of service seminars sponsored by the American Water Works Association. CDP (Certified Depreciation Professional) by Exam 1996.

List of Clients Served

CATV

Storer Broadcasting Company (DE, MD, MN)

Cable Television Consortium

ELECTRIC

Atlantic City Electric d/b/a Conectiv Power Delivery Borough of Butler - Electric Dept.
Consolidated Hydro, Inc.
Duquesne Light Company
Hershey Electric Company
Kentucky Utilities
Lockhart Power Company
Louisville Gas & Electric Co. - Elec. Div.
Montana - Dakota Utilities Co - Elec. Div.

Nantahala Power and Light Company New York State Electric and Gas Corp. Northern Indiana Public Service Co. Pennsylvania Power Company Philadelphia Electric Company Potomac Electric Power Company Progress Energy - Carolina Progress Energy - Florida Wellsboro Electric Company

GAS

ATCO Gas **ATCO Pipelines** Atlanta Gas Light Company Bay State Gas Company C & T Enterprises, Inc. Valley Cities Waverly Gas Company Canadian Western Natural Gas Company Limited Citizens Gas & Coke Utility Columbia Gas of Pennsylvania, Inc. East Ohio Gas Elkton Gas Service Granite State Gas Transmission, Inc. Kansas Gas Service Louisville Gas & Electric Co. - Gas Division Montana Dakota Utilities - Gas Division National Fuel Gas Distr. Corp., NY National Fuel Gas Supply **NICOR Gas Company** North Carolina Gas Service

North Penn Gas Northern Indiana Public Service Co. Northern Utilities, Inc.-Maine Northern Utilities, Inc.-New Hampshire Oklahoma Natural Gas Company Pacific Gas & Electric Company Paiute Pipeline Pennsylvania Gas & Water Company PG Energy Inc. Pennsylvania and Southern Gas Company Valley Cities Division Waverly Division Providence Gas Company Roanoke Gas Company Saxonburg Heat & Light Company Southern Connecticut Gas Company Southwest Gas Corporation T.W. Phillips Gas & Oil Company

PROFESSIONAL QUALIFICATIONS OF EARL M. ROBINSON, CDP AUS CONSULTANTS - UTILITY SERVICES WEBER FICK & WILSON DIVISION

GENERAL CLIENTS

Arthur Andersen
Pricewaterhouse Coopers

Ernst & Young Standard & Poors

REGULATORY AND GOVERNMENTAL

Arizona Corporation Commission
Mountain States Telephone & Telegraph
Southwest Gas Corporation
Baltimore County, MD
Bensalem Township - Water
Bethlehem Authority - Water
Borough of Butler, NJ
Borough of Media Water Works
City of New Orleans, LA
Delaware Public Service Commission
Diamond State Telephone Company

Delaware River Port Authority
Kansas Corporation Commission
Southwest Bell
Public Service Comm. of Nevada
Nevada Bell
Town of Waterford, CT
Northeast Utilities
Washington, D.C. - PSC
C&P Telephone Company
Potomac Electric Power Company

TELECOMMUNICATIONS

Ace Telephone Association - IA & MN AirTouch Communications ALLTEL Pennsylvania, Inc. **BellSouth Telecommunications Buffalo Valley Telephone Company** Cellular Industry Study Group AT&T Wireless **BellSouth Communications GTE Mobilnet** Chenango & Unadilla Telephone Company Cingular Wireless California Commonwealth Telephone Company CTC of Michigan CTC of Virginia Denver & Ephrata Telephone and Telegraph Company **Empire Telephone Corporation** Illinois Consolidated Telephone Co. Jamestown Telephone Corporation Leesport Telephone Company Lewisberry Telephone Company Los Angeles Cellular Telephone Co. MCI International, Inc. MCI Telecommunications Corp. MFS Communication Company, Inc. Marianna & Scenery Hill Tel. Co. Mid State Telephone Company

Motorola, Inc. New Jersey Telephone Company The North-Eastern Pennsylvania Tel. Co. Pacific Bell PACTEL CELLULAR Paging Industry Study Group AirTouch Paging Mobile Comm Paging Network, Inc. Skytel **USA Mobile Communications** Quaker State Telephone Company **Qwest Communications Corporation** RCA Global Communications, Inc. SBC Ameritech Corporation SBC - Ohio SBC - Wisconsin Southwestern Bell Telephone Company Standard Telephone Company Telecommunications d'Haiti Telephone Utilities of Pennsylvania United Telephone Company of New Jersey Verizon Wireless Verizon - California Verizon - Wyoming Virgin Islands Telephone Corporation WilTel, Inc.

PROFESSIONAL QUALIFICATIONS OF EARL M. ROBINSON, CDP AUS CONSULTANTS - UTILITY SERVICES WEBER FICK & WILSON DIVISION

WATER

Artesian Water Company City of Auburn Bethlehem Authority - Water California Water Service Company California - American Water Company Citizens Water - California Citizens Water - Arizona Consumers New Jersey Water Company Clinton Water Company Commonwealth Water Company Dauphin Consolidated Water Supply Co. Elizabethville Water Company City of Fairfax Garden State Water Company Hackensack Water Company Hershey Water Company Illinois Ámerican Water Company Indian Rock Water Company Indianapolis Water Company Iowa-American Water Company Keystone Water Company Manufacturers Water Company Masury Water Company Middlesex Water Company Monmouth Consolidated Water Company New Haven Water Company New Jersey Water Company New Mexico-American Water Company, Inc.

Newtown Artesian Water Company New York-American Water Company Ohio-American Water Company Palm Coast Utility Corporation Pennichuck Water Works Pennsylvania-American Water Company Pennsylvania Gas and Water Company Pennsylvania Water Company Erie & Sayre Divisions Philadelphia Suburban Water Company Pinelands Water Company Public Service Water Company Riverton Consolidated Water Company Roaring Creek Water Company Rock Springs Water Company Shenango Valley Water Company Southern California Water Company Spring Valley Water Company Tidewater Utilities, Inc. United Water - Delaware United Water - Toms River United Water - New Jersey United Water - Pennsylvania United Water - Virginia Virginia American Water Company Western Pennsylvania Water Company York Water Company

WASTEWATER

California - American Water Company Citizens Sewer - Arizona New Jersey Water Company Sewer Districts

PROFESSIONAL QUALIFICATIONS

Palm Coast Utility Corporation Pinelands Sewer Company Wynnewood Sewer Company

CDP (Certified Depreciation Professional) by Exam during October, 1996

PROFESSIONAL AFFILIATIONS

American Water Works Association
American Gas Association
American Railway Engineering Association
Pennsylvania Gas Association
Pennsylvania Municipal Authorities Association
Member AGA Accounting Services Committee
Society of Depreciation Professionals-Founding Member, Chairman Coordinating and Membership Committees,
Treasurer, President, and Past President

Appendix A Page 6 of 11

PROFESSIONAL QUALIFICATIONS OF EARL M. ROBINSON, CDP AUS CONSULTANTS - UTILITY SERVICES WEBER FICK & WILSON DIVISION

PUBLICATIONS

AGA/EEI Depreciation Accounting Committee, Contributing Author 1989, "An Introduction to Net Salvage of Public Utility Plant"

"Replacement Cost and Service Life Studies", Journal of Property Tax Management, Fall 1994, Volume 6, Issue 2

SPEECHES AND PRESENTATIONS

"Depreciated Replacement Cost", Institute of Property Taxation - 18th Annual Conference, San Francisco, CA

"RCNLD Issues for Utilities", The National Association of Railroad & Public Utilities Tax Representative, 1997 Annual Conference, North Lake Tahoe, NV

"Useful Service Lives of Cellular Industry Assets", State of Florida, Department of Revenue Industry/Government Task Force (April 1997)

"Appraisal and Valuation Issues Associated with Technology Changes within the Wireless Industry", 30th Annual Wichita Program - Appraisal for Ad Valorem Taxation of Communications, Energy, and Transportation Program, Wichita State University - July 30-August 3, 2000

"Physical/Functional Obsolescence, Residual Values/Floors (Net Salvage)", 32th Annual Wichita Program - Appraisal for Ad Valorem Taxation of Communications, Energy, and Transportation Program Wichita State University - July 28-August 1, 2002

"Depreciation Study Preparation", AGA Accounting Services Committee/EEI Property Accounting & Valuation Committee, Lake Tahoe, Nevada - October 28, 2002

"Use of Replacement Cost to Value High Tech Equipment" Southeastern Association of Tax Administrators, 53rd. Annual Conference, Savannah, Georgia - July 14-July 16, 2003

"Property Tax: Use of Replacement Cost in the Appraisal of Telecommunications Companies", Western States Association of Tax Representatives (WSATR), WSATA 2003 Annual Meeting, Austin, TX - Sept. 9, 2003

"Valuation of Assets", AGA Accounting Services Committee/EEI Property Accounting & Valuation Committee, Scottsdale, Arizona - December 9, 2003

"Net Salvage Issues In Rate Cases", AGA Accounting Services Committee/EEI Property Accounting & Valuation Committee, San Antonio, Texas - May 17, 2004

Appendix A Page 7 of 11

PROFESSIONAL QUALIFICATIONS OF EARL M. ROBINSON, CDP AUS CONSULTANTS - UTILITY SERVICES WEBER FICK & WILSON DIVISION

SUMMARY OF TESTIMONY APPEARANCES

| <u>Jurisdiction</u> | Client | Docket/Application | <u>Subject</u> |
|-------------------------|---------------------------------------------------------------|----------------------|-----------------------------------------------------------|
| Alberta | Canadian Western Natural Gas Company Limited | 090412 | Danraciation |
| | | 980413 | Depreciation |
| | ATCO Pipelines | 1292783 | Depreciation |
| Arizona | Arizona Corp. Comm./ Mtn. Bell | 9981-E-1051 | RCN/RCND * |
| | Arizona Corp. Comm./ Southwest Gas Corp. | U-1551-80-70 | RCN/RCND * |
| California | MCI Telecommunications | 274 | Replacement Cost/ Depr. Repl. Cost |
| (State Board of Equali- | Corporation | SAU87-38 | Replacement Cost/ |
| zation) | | SAU91-101 | Depr. Repl. Cost Replacement Cost/ Depr. Repl. Cost |
| | Southern California Water Company | ABJ-4 | Depreciation |
| Connecticut | Southern Connecticut Gas Co. | 89-09-06 | P.I.S. Measures of Value and Depreciation |
| Delaware | Artesian Water Company | 82-20 87-3 | Depreciation Depreciation |
| | United Water - Delaware | 96-164 98-98 | Depreciation Depreciation |
| | Delaware Public Service Comm./ Diamond State Telephone Co. | 81-8 | P.I.S. Measures of Value and Depreciation |
| | Tidewater Utilities, Inc/ Public Water and Supply, Inc | 99-466 | Depreciation |
| District of Columbia | Potomac Electric Power Co. | F.C. 869 | Depreciation |
| | Washington, DC PSC/ C&P Tel. Corp. | F.C. 777 | Depreciation |
| | Washington, DC PSC/ Potomac Electric Power Co. | F.C. 785 F.C. 813 | Capital Recovery/ Depreciation |

Appendix A Page 8 of11

| <u>Jurisdictions</u> | Client | <u>Docket</u> | Subject |
|---------------------------------|------------------------------------------------------|------------------------|----------------------------------------------------------------------------|
| FERC | Granite State Gas Transmission, Inc. | RP91-164-000 | Depreciation |
| • | Paiute Pipeline | RP96-306-000 | Depreciation |
| Florida (County of Duval) | BellSouth Telecommunications | Petitions 1795-1800 | Replacement Cost/ Depr. Repl. Cos |
| (County of St. Lucie) | BellSouth Telecommunications | 1999 Petitions | Replacement Cost/ Depr. Repl. Cost |
| Illinois | Illinois - American Water Company | 00-0340 02-0690 | Depreciation Depreciation |
| | Illinois Consolidated Telephone Co. | 81-0264 82-0623 | RCN/RCND * RCN/RCND * |
| Indiana | Northern Indiana Public Service Company | Cause No. 41746 | Depreciation |
| Kansas | Kansas Gas Service | 03-KGSG-602-RTS | Depreciation |
| Kentucky | Kentucky Utilities | Case No. 2003-00434 | Depreciation |
| | Louisville Gas & Electric Electric Gas | Case No. 2003-00433 | Depreciation |
| Massachusetts | Bay State Gas Company | 92-111 | Depreciation |
| New Jersey | Atlantic City Electric d/b/a Conectiv Power Delivery | ER03020110 | Depreciation |
| | Borough of Butler/ Butler Elec. Dept. | 792-84 | Valuation of Plant in Service Customer Revenue and Purchase Power |
| | Commonwealth Water Co. | 842-100 | Depreciation |
| | Consumers New Jersey Water Company | WR00030174 | Depreciation |
| | Garden State Water Co. | WR91091483 | Depreciation |

Appendix A Page 9 of11

| Jurisdic | tions <u>Client</u> | <u>Docket</u> | <u>Subject</u> |
|-----------|-----------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------|
| | Middlesex Water Company | WR8602-240 WR90080884J WR96110818 | Depreciation Depreciation Depreciation |
| | Monmouth Cons. Water Co. | 8312-1113 | Depreciation |
| | New Jersey Water Company | 834-292 | Depreciation |
| | United Water Resources (formerly Hackensack Water Co.) | 8506-663 WR90080792J WR95070303 | Depreciation Depreciation Depreciation |
| | Toms River Water Company | WR95050219 | Depreciation |
| New Ham | pshire Northern Utilities, Inc. | DR91-081 | Depreciation |
| New Mexi | co New-Mexico American Water Company | 2813 03-00206-UT | Depreciation Depreciation |
| New York | New York-American Water Co. Spring Valley Water Co., Inc. | 28911 89-W-1151 92-W-0645 | Depreciation Depreciation Depreciation |
| North Car | olina Nantahala Power and Light Co. | E-13, SUB157 | Depreciation |
| Pennsylva | ania Borough of Media Water Works | R-912150 | Depreciation |
| | Columbia Gas of Penna. | R-80031129 | Depreciation and Valuation |
| | Commonwealth Telephone Co. | I-00920020 | Depreciation |
| | Keystone Water Company | R-842755 R-842756 R-842759 | Capital Recovery/Depreciation Capital Recovery/Depreciation Capital Recovery/Depreciation |
| | Mid Penn Tel. Corp. | R-80071264 | Depreciation |
| | PennaAmerican Water Co. | R-891208 | Depreciation |
| | Penna. Gas & Water Co Gas Division Penna. Gas & Water Co Water Division | R-821961 R-832475 R-822102 | Depreciation Depreciation |
| | | R-850178 R-870853 | Capital Recovery/Depreciation Capital Recovery/Depreciation |

Appendix A Page 10 of11

| Jurisdictions | <u>Client</u> | Docket | Subject |
|---------------------|--------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>oanoaiono.io</u> | <u> </u> | | |
| | Penna. Gas & Water Co Scranton Division | R-901726 | PIS Meas. of |
| | | R-922482 | Value/Depreciation Depreciation |
| | Penna. Gas & Water Co | | • |
| | Spring Brook Division Nesbitt Service Area | R-911966 | PIS Meas. of Value/Depreciation |
| | Crystal Lake Service Area | R-922404 | PIS Meas. of Value/Depreciation |
| | Ceasetown/Watres Service Area | R-93266 | Depreciation |
| | Penna. Power Company | R-811510 | PIS Meas. of |
| , | | R-821918 | Value/Depreciation PIS Meas. of |
| | | R-832409 | Value/Depreciation PIS Meas. of |
| | | R-842740 | Value/Depreciation PIS Meas. of |
| | | R-850267 | Value/Depreciation PIS Meas. of |
| | | R-870732 | Value/Depreciation PIS Meas. of Value/Depreciation |
| | Pennsylvania & Southern Gas Company | R-870686 | Depreciation |
| | PG Energy inc. | R-963612 | PIS Meas. of |
| | Value/Depreciation | R-984280 | PIS Meas. of Value/Depreciation |
| | Philadelphia Suburban Water Company | R-911892 | Depreciation |
| | viato. Company | R-922476 | PIS Meas. of Value/Depreciation |
| | | R-932868 | PIS Meas. of Value/Depreciation |
| | Riverton Consolidated Water Co. | R-842675 | Capital Recovery/Depreciation |
| | United Water - Pennsylvania | R-00973947 | Depreciation |
|) | Western Pennsylvania Water Company | R-842621 R-842622 R-842623 R-842624 R-842625 | Capital Recovery/Depreciation Capital Recovery/Depreciation Capital Recovery/Depreciation Capital Recovery/Depreciation Capital Recovery/Depreciation |

Appendix A Page 11 of11

| <u>Jurisdictions</u> | <u>Client</u> | <u>Docket</u> | <u>Subject</u> |
|----------------------|----------------------------------------------------------|-------------------|----------------------------------------------|
| | Wellsboro Electric Company | R-00016356 | Depreciation |
| Rhode Island | Providence Gas Company | 1914 2286 | Depreciation Depreciation |
| South Carolina | Lockhart Power Company | 87-435-E | Depreciation |
| Virgin Islands | Virgin Islands Tel. Corp. | 264 314 316 | Depreciation Depreciation Depreciation |
| * | Reproduction Cost New/Reproduction Cost New Depreciated. | | |